

GOLD NOTE
Italian Music Experience



IS-1000

THE SUPER INTEGRATED AMP



PH-10

THE ADVANCED PHONO STAGE



MEDITERRANEO

THE ITALIAN TURNTABLE

CJENIK

NAZIV		OPCIJE	CIJENA S PDV
GRAMOFON			
MEDITERRANEO with B7 Ceramic	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut enables the best rigidity and frequency control – Black Vinyl ultra dampened 45mm thick Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – acrylic DC and B-7 Ceramic arm included	Italian Walnut Hardwood	52,638.32 kn
MEDITERRANEO	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood	46,029.71 kn
		Black/White Lacquer	42,187.50 kn
GIGLIO	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood	32,197.75 kn
		Black/White Lacquer	29,123.98 kn
PIANOSA	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood	22,207.99 kn
		Black/White Lacquer	19,902.66 kn
VALORE PLUS 425 + Walnut/Acrylic/Leather	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9" B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Walnut real veneer, Full Acrylic or Leather	12,218.24 kn
VALORE PLUS 425 + Black/White Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9" B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Black/White Lacquer	10,681.35 kn
VALORE 425 LITE Black/White Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – MDF/Vinyl Platter – Supplied with 9" arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU	Black/White Lacquer	6,877.56 kn
GRAMOFONSKE RUČKE			
B-7 Ceramic	9" – custom made Ceramic Ball Bearing by GRW - Titanium & Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		13,447.75 kn
B-5.1	9" - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		6,839.14 kn
ZVUČNICE			
TUSCANY Gold	MC phono cartridge - 0,25mV - Mass 11g – Tracking Weight 1.8 – 2.1g - 4ohm – 5-55.000 Hz. - Compliance 10x10-6cm/dyne - Boron stylus Micro Ridge Diamond Tip – Pure Silver coils		57,633.20 kn
TUSCANY Red	MC phono cartridge - 0,35mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 20ohm - 10-50.000 Hz. - Compliance 10x10-6cm/d - Boron stylus Micro Ridge Diamond Tip		36,885.25 kn
new MACHIAVELLI Gold Mk II	MC phono cartridge – 0,4mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 30ohm - 10-45.000 Hz - 10x10-6cm/dyne - Boron stylus Line Contact Diamond Tip		21,132.17 kn
new MACHIAVELLI Red Mk II	MC High-Output phono cartridge – 2mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 40ohm - 10-40.000 Hz - 10x10-6cm/dyne – Elliptical Tip		12,218.24 kn

DONATELLO Gold	MC phono cartridge – 0,5mV - Mass 7g - Tracking Weight 1.8g – 2.1g - 40ohm - 10-40.000 Hz - Compliance 12x10-6cm/dyne – Micro Elliptical Tip		7,607.58 kn
DONATELLO Red	MC phono cartridge – 1,8mV - Mass 7g - Tracking Weight 1.8g – 2.1g - 140ohm - 10-35.000 Hz - Compliance 12x10-6cm/dyne – Micro Elliptical Tip		5,302.25 kn
VASARI Gold	MM phono cartridge - 4mV - Mass 9g - Tracking Weight 2.0g- 1000ohm - 15 25.000 Hz – Elliptical Tip		2,689.55 kn
VASARI Red	MM phono cartridge - 4mV - Mass 7g - Tracking Weight 2.0g- 1000ohm - 15 25.000 Hz – Spherical Tip		1,498.46 kn
PHONO PRETPOJAČALA			
PH-1000	MM & MC ultra low noise – two separate RCA Inputs + one XLR Input - RCA and XLR balanced Output – 6 positions selectable Gain -4db to +6db – 12 Selectable load 10/90kohm and variable – 12 Equalization curves with enhanced – Graphical Color display – MC 70dB MC and MM 50dB (variable)		45,338.11 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
PH-10	MM & MC – two separate RCA Inputs - RCA and XLR balanced Output – 4 positions selectable Gain -3db/0db/+6dB/+12db – 9 Selectable load 10/47kohm – 3 Equalization curves with enhanced – Graphical Color display – MC 65dB MC and MM 45dB (variable)		10,681.35 kn
PH-1	MM & MC – single RCA Input - RCA Output – MC 65dB MC and MM 45dB		4,572.23 kn
CD PLAYERI			
new CD-1000 DeLuxe	Super Linear Dual-Mono power supply with high-end D/A convert Burr Brown PCM1792A – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with USB, 1x coax, 1 Optical		36,885.25 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
new CD-1000 mk2	Super Linear Dual-Mono power supply – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with 1x coax, 1 Optical		30,660.86 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
DAC			
new DS-1000 mk2	Wi-Fi and LAN 24/192 streamer able to handle computer and NAS devices - iOS and Android App - Internet radio DSD D/A Converter USB, TOS and Coax Input Analogue Preamp stage included		44,569.67 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
new DS-1000 mk2	Wi-Fi and LAN 24/192 streamer able to handle computer and NAS devices - iOS and Android App - Internet radio DSD D/A Converter USB, TOS and Coax Input		36,885.25 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
new DS-10	Wi-Fi and LAN 24/192 Bluetooth 5.0 DAC & Streamer able to handle computer and NAS devices - iOS and Android App - Internet radio - 2x USB Host ports, compatible with ROON, Tidal, Qobuz, Deezer, Airplay, Spotify, V-Tuner DSD D/A Converter USB, 2x TOS, Coax Input and AES/EBU		19,134.22 kn
	Optional: PSU-10 EVO		
new DS-10 Plus	Wi-Fi and LAN 24/192 Bluetooth 5.0 DAC & Streamer able to handle computer and NAS devices - iOS and Android App - Internet radio - 2x USB Host ports, compatible with ROON, Tidal, Qobuz, Deezer, Airplay, Spotify, V-Tuner DSD D/A Converter USB, 2x TOS, Coax Input and AES/EBU STEREO ANALOGUE INPUT: 3.5mm mini jack		22,207.99 kn
	Optional: PSU-10 EVO		
SUPERINTEGRIRANA POJAČALA			
IS-1000 DeLuxe	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control – BB DAC 1792A		39,882.17 kn
IS-1000 DeLuxe line	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In – Fixed and variable output- Damping Factor adjustment – 3 position Booster control		36,808.40 kn
IS-1000	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control		33,734.63 kn
IS-1000 Line	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In - Fixed and variable output- Damping Factor adjustment – 3 position Booster control		30,660.86 kn
POJAČALA SNAGE			
new PA-1175 mk2	200watt/8ohm per channel power amplifier fully balanced selectable RCA or XLR output – To be used as Mono Amplifier for 350watt per channel – Adjustable Damping Factor		42,264.34 kn
new PA-10	Stereo 75watt/8ohm per channel power amplifier fully balanced RCA and XLR output – in Mono 300watt ch.@8ohm & 600watt ch.@4ohm – Adjustable Damping Factor – Self Switch On/Off – XLR output		10,681.35 kn

PRETPOJAČALA			
P-1000	High resolution 6 gain fully balanced separated Line Preamplifier featuring Resistor-Relays optical volume control. INPUT: 5pr RCA or 5pr XLR – PRE OUT: 1pr RCA & 1pr XLR,		44,953.89 kn
	Additional DAC 24/192 module kHz with one TOS or COAX input		4,994.88 kn
	Optional: PSU1250/1000 and TUBE1012/1006		
CIJEVNI BUFFERI			
TUBE-1012	Class A Tube output Unit – Tube stage matches all 1000 series sources and preamplifier featuring Multiple inductive Power supply powering 12 tube Tube output stage enhancing audio performance.		43,032.79 kn
TUBE-1006	Class A Tube output Unit – Tube stage matches all 1000 series sources and preamplifier featuring Dual Mono powered 6 tube Tube output stage enhancing audio performance.		24,974.39 kn

VANJSKA NAPAJANJA			
new PSU-1250	Super External Inductive multi transformer 1250watt Power Supply matches all 1000 series sources and preamplifiers.		42,264.34 kn
new PSU-1000	Super External Inductive 1000watt Power Supply matches all 1000 series sources and preamplifiers.		24,513.32 kn
PSU-10	Super External Inductive Power Supply to match the PH10 phono preamplifier		7,300.20 kn
PSU-10 EVO	Super External Inductive Power Supply to match the DS-10		8,452.87 kn
PSU-1	Super External Inductive Power Supply to match the PH1 phono preamplifier		5,302.25 kn
new PST-10	Super External Inductive Power Supply to match all Gold Note Turntables		7,300.20 kn
new PST-1	Special External Power Supply to match all 18V Gold Note Turntables		1,383.20 kn



GIGLIO



PIANOSA



VALORE 425

PLUS



VALORE 425

LITE



DS-1000

DAC



CD-1000

CD Player



P-1000

PRE AMP



PA-1175

POWER AMP



MACHIAVELLI

MC



DONATELLO

MC



VASARI

MM

ZVUČNICI (CIJENE ZA PAR)			
XS-85	Two modules 3 way QB3 N.4 design - 2 Nextel paper woofers 22cm + 2 Nextel paper midrange 15 cm + 1 special custom soft dome tweeter with double aluminium treated chamber - Super Recessed Curved front panels – Double structure highly dampened reinforced structure – 89dB	Grand Piano Black, White or Walnut side panels	293,545.08 kn
XT-7	3 way tower – 1 Ribbon Tweeter – 1x5" Woven hardened Polypropylene Mid - 2x6" Woven hardened Polypropylene Woofer - 38Hz-25kHz – Bi-wiring GN binding posts – 90dB	Glossy Black, White or Matt Walnut side panels	103,739.75 kn
new A6 EVO	88dB - 4ohm - 3way rear bass reflex tower – 1" dome Tweeter - 2x5" Mid-Woofer – 6,5" symmetrical subwoofer - 40Hz-20kHz – Diamond shaped lacquered side panels – Weight 35Kg/ea. Dimensions: 1080mm Height - 230mm Large - 285mm Deep - Stand 290mm Large x 445mm deep	Black Glossy	45,722.34 kn
		Walnut Glossy	49,948.77 kn

new A3 EVO	86dB rear bass reflex- 8ohm - 2way bookshelf 35cm tall, 19cm large, 28,5cm deep – 1" dome Tweeter - 6" Mid-Woofer - 45Hz-20kHz – Diamond shaped lacquered side panels – Weight 10Kg/ea. Dimensions: 350mm Height - 230mm Large - 285mm Deep	Black Glossy	26,895.49 kn
		Walnut Glossy	29,200.82 kn
new STAND EVO	Dedicated A3 EVO stand made of painted MDF and Aluminium – Weight 20Kg/pr. Dimensions: 650mm Height - 290mm Large - 445mm Deep		7,607.58 kn
KABELI			
FIRENZE USB	USB - (A-B) True balanced & isolated design	1m	922.13 kn
FIRENZE ETHERNET	ETHERNET - CAT6 True isolated design	2m	1,152.66 kn
PHONO CABLE Plus	Phono Cable Gold Note – Gold Note DIN/RCA Rhodium nickel-free Tone Arms Fully Balanced Extra Shielded Phono Cable - Solid Core Hybrid Design Silver & Copper sealed oiled design - XLR balanced connectors available on request	1,5m	3,457.99 kn
PHONO CABLE	Phono Cable Gold Note – Gold Note DIN/RCA dedicated Tone Arms Shielded Phono Cable - 100% OFC Stranded Copper	1,5m	1,498.46 kn
		2,5m	2,151.64 kn
LUCCA AC	Power Cord Cable Gold Note – Gold Note IES/Schuko or US Plug dedicated special AC Power cord Cable - 100% OFC Stranded Copper	1,5m	1,498.46 kn

Cjenik vrijedi od 31.07.2020. Pridržavamo pravo izmjene cijena bez prethodne najave.
Cijene uključuju 25% PDV-a.

Audionovum j.d.o.o. / Vladimira Bogovića 10 / 47000 Karlovac
Internet / www.audionovum.hr Email / info@audionovum.hr